

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	9722	transceiv\$4 same (control\$4 or microcontrol\$4 or process\$4 or microprocess\$4) same (exchang\$4 or transfer\$4) and (primar\$4 or second\$4) and (@ad<"20021219"@rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 08:26
L4	5	transceiv\$4 same (control\$4 or microcontrol\$4 or process\$4 or microprocess\$4) same (exchang\$4 or transfer\$4) same ((deploy\$4 or redundan\$4) with signal\$4) same (primar\$4 or second\$4) and (@ad<"20021219"@rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 08:27
L5	309	3 and ((serial with peripheral with interface) or SPI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 08:35
L6	43	transceiv\$4 same (control\$4 or microcontrol\$4 or process\$4 or microprocess\$4) same ((serial with peripheral with interface) or SPI) same (exchang\$4 or transfer\$4) and (primar\$4 or second\$4) and (@ad<"20021219"@rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 08:36
L7	0	(transceiv\$4 with ITIC) same (control\$4 or microcontrol\$4 or process\$4 or microprocess\$4) same ((serial with peripheral with interface) or SPI) same (exchang\$4 or transfer\$4) and (primar\$4 or second\$4) and (@ad<"20021219"@rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 08:48

L8	0	(transceiv\$4 with ITIC) and (control\$4 or microcontrol\$4 or process\$4 or microprocess\$4) same ((serial with peripheral with interface) or SPI) same (exchang\$4 or transfer\$4) and (primar\$4 or second\$4) and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 08:48
L9	0	(transceiv\$4 with ITIC) and (control\$4 or microcontrol\$4 or process\$4 or microprocess\$4) and ((serial with peripheral with interface) or SPI) and (exchang\$4 or transfer\$4) and (primar\$4 or second\$4) and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 08:49
L10	0	(transceiv\$4 with ITIC) and (control\$4 or microcontrol\$4 or process\$4 or microprocess\$4) and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 08:50
L11	1	(transceiv\$4 same ITIC) and (control\$4 or microcontrol\$4 or process\$4 or microprocess\$4) and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 08:50
L12	1	(transceiv\$4 and ITIC) and (control\$4 or microcontrol\$4 or process\$4 or microprocess\$4) and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 08:58
L13	4	ITIC and SPI and (control\$4 or microcontrol\$4 or process\$4 or microprocess\$4) and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 08:58
L14	1389	(control\$4 or microcontrol\$4 or process\$4 or microprocess\$4) same ((serial with peripheral with interface) or SPI) same (exchang\$4 or transfer\$4) and (primar\$4 or second\$4) and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 08:59

L15	20	((wireless or portable or mobile) with (device\$2 or terminal\$2)) same (control\$4 or microcontrol\$4 or process\$4 or microprocess\$4) same ((serial with peripheral with interface) or SPI) same (exchang\$4 or transfer\$4) and (primar\$4 or second\$4) and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 09:01
L16	322	((wireless or portable or mobile) with (device\$2 or terminal\$2)) and (control\$4 or microcontrol\$4 or process\$4 or microprocess\$4) same ((serial with peripheral with interface) or SPI) same (exchang\$4 or transfer\$4) and (primar\$4 or second\$4) and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 09:38
L17	209	((wireless or portable or mobile) with (device\$2 or terminal\$2)) and (control\$4 or microcontrol\$4 or process\$4 or microprocess\$4) same ((serial with peripheral with interface) or SPI) same (exchang\$4 or transfer\$4) and (primar\$4 or second\$4) and switch\$4 and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 09:39
L18	0	((wireless or portable or mobile) with (device\$2 or terminal\$2)) and (control\$4 or microcontrol\$4 or process\$4 or microprocess\$4) same ((serial with peripheral with interface) or SPI) same (SOON or (safe\$4 with conductor\$2)) same (exchang\$4 or transfer\$4) and (primar\$4 or second\$4) and switch\$4 and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 09:40

L19	0	((wireless or portable or mobile) with (device\$2 or terminal\$2)) and (control\$4 or microcontrol\$4 or process\$4 or microprocess\$4) same ((serial with peripheral with interface) or SPI) same (SCON or (safe\$4 with (circuit\$2 or conductor\$2))) same (exchang\$4 or transfer\$4) and (primar\$4 or second\$4) and switch\$4 and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 09:40
L20	0	((wireless or portable or mobile) with (device\$2 or terminal\$2)) and (control\$4 or microcontrol\$4 or process\$4 or microprocess\$4) same ((serial with peripheral with interface) or SPI) same (SCON or (safe\$4 with (circuit\$2 or conductor\$2))) same (exchang\$4 or transfer\$4) and switch\$4 and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 09:41
L21	2	((wireless or portable or mobile) with (device\$2 or terminal\$2)) and (control\$4 or microcontrol\$4 or process\$4 or microprocess\$4) and ((serial with peripheral with interface) or SPI) and (deploy\$5 or redundan\$4) and (exchang\$4 or transfer\$4) and switch\$4).clm.	US-PGPUB; USPAT	OR	ON	2008/10/16 09:43
L22	90	((wireless or portable or mobile) with (device\$2 or terminal\$2)) and (control\$4 or microcontrol\$4 or process\$4 or microprocess\$4) and (deploy\$5 or redundan\$4) and (exchang\$4 or transfer\$4) and switch\$4).clm.	US-PGPUB; USPAT	OR	ON	2008/10/16 09:53
L23	16	((wireless or portable or mobile) with (device\$2 or terminal\$2)) and (control\$4 or microcontrol\$4 or process\$4 or microprocess\$4) and ((deploy\$5 or redundan\$4) with signal\$4) and (exchang\$4 or transfer\$4) and switch\$4).clm.	US-PGPUB; USPAT	OR	ON	2008/10/16 09:53

L24	1	transceiv\$4 same ITIC and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 09:57
L26	0	wireless and transceiv\$4 and ITIC and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 09:58
L27	1	transceiv\$4 and ITIC and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 09:58
L28	362	((wireless or portable or mobile) with (device\$2 or terminal\$2)) and (control\$4 or microcontrol\$4 or process \$4 or microprocess\$4) and (send\$4 or traansmit\$4) same ((deploy\$5 or redundan \$4) with signal\$4) and (exchang\$4 or transfer\$4) and switch\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 11:03
L30	197	28 and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 11:04
L31	195	30 and (sens\$4 or trigger\$4 or detect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 11:05
L32	118	30 and (sens\$4 or trigger\$4 or detect\$4) and (impact\$4 or safet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 11:05
L33	5	32 and ((serial with peripheral with interface) or SPI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 11:08

S1	3	"6441511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:13
S2	1	S1 and (exchange\$4 or communicat\$4 or transfer\$4 or interact\$4 or interexchange \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:14
S3	2	"20060148445"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:16
S4	0	airbag\$4 and (steering with wheel) and deploy\$5 and redundan\$4 and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:25
S5	219	airbag\$4 and (steering with wheel) and deploy\$5 and redundan\$4 and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:25
S6	194	airbag\$4 and (steering with wheel) and deploy\$5 and redundan\$4 and wireless and (exchange\$4 or communicat \$4 or transfer\$4 or interact\$4 or interexchange\$4) and (@ad< "20030604" @rlad< "20030604")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:26
S7	194	S6 and (CPU\$2 or processor \$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:26
S8	2	transceiv\$4 and ITIC and (CPU\$2 or processor\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:34

S9	4	transceiv\$4 and ITIC and (CPU\$2 or processor\$2 or conductor\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:35
S10	4	S9 and (exchang\$4 or communicat\$4 or transfer\$4 or interact\$4 or interexchang\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:36
S11	0	airbag\$4 and (steer\$4 with wheel) and deploy\$5 and redundan\$4 and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:38
S12	0	(steer\$4 with wheel) and deploy\$5 and redundan\$4 and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:38
S13	3	transceiv\$4 and ITIC and safe\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:41
S14	1	transceiv\$4 and ITIC and ITLS and IRHS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:43
S15	1	transceiv\$4 and ITIC and SCON	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:43
S16	129205	(device\$2 or terminal\$2) and (deploy\$5 or redundan\$4) and (processor\$2 or CPU\$2 or conductor\$2) and (exchang\$4 or transfer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:46
S17	1808	(device\$2 or terminal\$2) same (deploy\$5 or redundan\$4) same (processor\$2 or CPU\$2 or conductor\$2) same (exchang\$4 or transfer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:46

S18	1179	S17 and (@ad<"20030604" @rlad<"20030604")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:47
S19	77	(device\$2 or terminal\$2) same ((deploy\$5 or redundan \$4) with signal\$4) same (processor\$2 or CPU\$2 or conductor\$2) same (exchang \$4 or transfer\$4) and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:48
S21	78	(device\$2 or terminal\$2) same ((deploy\$5 or redundan \$4) with signal\$4) same (processor\$2 or CPU\$2 or conductor\$2) and transceiv \$4 same (exchang\$4 or transfer\$4) and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:55
S22	78	(device\$2 or terminal\$2) same ((deploy\$5 or redundan \$4) with signal\$4) same (processor\$2 or CPU\$2 or conductor\$2) and transceiv \$4 same (exchang\$4 or transfer\$4) and (primar\$4 or second\$4) and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:56
S23	4	(device\$2 or terminal\$2) same ((deploy\$5 or redundan \$4) with signal\$4) same (processor\$2 or CPU\$2 or conductor\$2) same transceiv \$4 same (exchang\$4 or transfer\$4) and (primar\$4 or second\$4) and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 06:57
S25	59	transceiv\$4 and (ITIC or SCON or IRHS or ITLS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 07:00
S26	29	S25 and (exchang\$4 or transfer\$4) and (primar\$4 or second\$4) and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 07:00

10/16/08 11:29:00 AM

C:\Documents and Settings\HNguyen18\My Documents\EAST\workspaces\10539916.wsp